The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

## Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
SECTION 1. PRODUCT AND C	OMPANY IDENTIFICATION	
Product name	: Shell Rimula R4 L 15W-40	
Product code	: 001G1641	
<b>Manufacturer or supplier's</b> Supplier Telephone Telefax	s details : TransDiesel Limited NZBN 9429036551132 533 Halswell Junction Road Christchurch 8042 New Zealand : 0800 848 267 (All Hours) :	
Emergency telephone number	: 0800 848 267 (All Hours)	
Recommended use of the Recommended use	chemical and restrictions on use : Engine oil.	

### **SECTION 2. HAZARDS IDENTIFICATION**

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2017., Not classified as Dangerous Goods for transport, according to NZS 5433:2012 Transport of Dangerous Goods on Land.

#### Hazard classification

#### GHS Classification

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements	
Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	<ul> <li>PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.</li> </ul>
Precautionary statements	
	<b>Prevention:</b> No precautionary phrases.
	Response:

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

# Shell Rimula R4 L 15W-40

Version 1.3

Revision Date 11.03.2020 No precautionary phrases. Print Date 12.03.2020

#### Storage:

No precautionary phrases.

#### Disposal:

No precautionary phrases.

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346.
	:	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69-

9, 68649-12-7, 151006-60-9, 163149-28-8	

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90
Alkylphenol	27193-86-8	Skin Corr.1C; H314 Eye Dam.1; H318 Repr.1B; H360F Aquatic Acute1; H400 Aquatic Chronic1; H410	< 0.29
Calcium sulphonate	70024-69-0	Skin Sens.1B; H317	< 0.9
Calcium alkaryl sulphonate	75975-85-8	Skin Sens.1B; H317	< 0.9
Zinc dialkyldithiophosphate	113706-15-3	Acute Tox.5; H303 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute2; H401 Aquatic Chronic2; H411	< 2.4
Zinc dialkyl dithiophosphate	84605-29-8	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic2; H411	< 2.4
Alkylated phenol ester	125643-61-0	Aquatic Chronic4; H413	< 3
Alkaryl amine	36878-20-3	Aquatic Chronic4; H413	1 - 5

### Hazardous components

For explanation of abbreviations see section 16.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

## Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
SECTION 4. FIRST-AID MEASUR	RES	
If inhaled	: No treatment necessary under no If symptoms persist, obtain medic	
In case of skin contact	: Remove contaminated clothing. F water and follow by washing with If persistent irritation occurs, obtai	soap if available.
In case of eye contact	<ul> <li>Flush eye with copious quantities Remove contact lenses, if present rinsing.</li> <li>If persistent irritation occurs, obtain</li> </ul>	t and easy to do. Continue
If swallowed	: In general no treatment is necessaria are swallowed, however, get med	
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and symp of black pustules and spots on the Ingestion may result in nausea, vo	e skin of exposed areas.
Protection of first-aiders	: When administering first aid, ensu appropriate personal protective ec incident, injury and surroundings.	
Notes to physician	: Treat symptomatically.	

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	oam, water spray or fog. Dry chemical pov oxide, sand or earth may be used for sma	
Unsuitable extinguishing media	o not use water in a jet.	
Specific hazards during firefighting	azardous combustion products may incluc complex mixture of airborne solid and liqu ases (smoke). arbon monoxide may be evolved if incomp ccurs. nidentified organic and inorganic compour	id particulates and
Specific extinguishing methods	se extinguishing measures that are appro rcumstances and the surrounding environ	
Special protective equipment for firefighters	roper protective equipment including chen oves are to be worn; chemical resistant su rge contact with spilled product is expecte	it is indicated if

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

# Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020	
	Breathing Apparatus must be worn	when approaching a fire in	
	a confined space. Select fire fighter's clothing approved to		
	relevant Standards (e.g. Europe: E	N469).	

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid contact with skin and eyes.	
Environmental precautions	:	Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.	
		Local authorities should be advised if significant spillages cannot be contained.	
Methods and materials for containment and cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.	
Additional advice	:	For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.	

### SECTION 7. HANDLING AND STORAGE

General Precautions	<ul> <li>Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols.</li> <li>Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.</li> </ul>
Advice on safe handling	<ul> <li>Avoid prolonged or repeated contact with skin.</li> <li>Avoid inhaling vapour and/or mists.</li> <li>When handling product in drums, safety footwear should be worn and proper handling equipment should be used.</li> <li>Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.</li> </ul>
Avoidance of contact	: Strong oxidising agents.
Product Transfer	: Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage	

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

# Shell Rimula R4 L 15W-40

Version 1.3		Revision Date 11.03.2020	Print Date 12.03.2020
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.	
		Store at ambient temperature.	
Packaging material	:	Suitable material: For containers or co steel or high density polyethylene. Unsuitable material: PVC.	ntainer linings, use mild
Container Advice	:	Polyethylene containers should not be temperatures because of possible risk	

## SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	WES-TWA (Mist)	5 mg/m3	NZ OEL
	Further informativapour.	ation: Sampled b	by a method that does	s not collect
Oil mist, mineral	Not Assigned	WES-STEL (Mist)	10 mg/m3	NZ OEL
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

### **Biological occupational exposure limits**

No biological limit allocated.

### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

## Shell Rimula R4 L 15W-40

<ul> <li>Engineering measures</li> <li>The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.</li> <li>Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated</li> <li>General Information: Define procedures for safe handling and maintenance of controls.</li> <li>Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.</li> <li>Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.</li> <li>Drain down system prior to equipment break-in or maintenance.</li> <li>Retain drain downs in sealed storage pending disposal or subsequent recycle.</li> <li>Always observe good personal hygiene measures, such as washing hands after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and protective equipment to remove contaminants.</li> </ul>	rsion 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
greater potential for airborne concentrations to be generated General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.	Engineering measures	vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances Appropriate measures include:	
<ul> <li>Define procedures for safe handling and maintenance of controls.</li> <li>Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.</li> <li>Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.</li> <li>Drain down system prior to equipment break-in or maintenance.</li> <li>Retain drain downs in sealed storage pending disposal or subsequent recycle.</li> <li>Always observe good personal hygiene measures, such as washing hands after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.</li> </ul>			
Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.		Define procedures for safe handlir	ng and maintenance of
Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.		Educate and train workers in the h measures relevant to normal activ	
Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.		Ensure appropriate selection, testi equipment used to control exposu	re, e.g. personal protective
Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.		Drain down system prior to equip	
Always observe good personal hygiene measures, such as washing hands after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.		Retain drain downs in sealed stora	age pending disposal or
Practice good housekeeping.		Always observe good personal hy washing hands after handling the drinking, and/or smoking. Routine protective equipment to remove co	material and before eating, ely wash work clothing and ontaminants. Discard

#### **Protective measures**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection	<ul> <li>No respiratory protection is ordinarily required under normal conditions of use.</li> <li>In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point &gt;65°C (149°F)].</li> </ul>
Hand protection	

140	
Remarks	: Where hand contact with the product may occur the use of
Hand protection	

# Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
	gloves approved to relevant standa US: F739) made from the following suitable chemical protection. PVC, gloves Suitability and durability of usage, e.g. frequency and duration resistance of glove material, dexte from glove suppliers. Contaminate replaced. Personal hygiene is a ke care. Gloves must only be worn or gloves, hands should be washed a Application of a non-perfumed moi	g materials may provide , neoprene or nitrile rubber a glove is dependent on n of contact, chemical wity. Always seek advice d gloves should be ey element of effective hand n clean hands. After using and dried thoroughly.
	For continuous contact we recomm breakthrough time of more than 24 for > 480 minutes where suitable g short-term/splash protection we re- recognize that suitable gloves offe may not be available and in this ca time maybe acceptable so long as and replacement regimes are follor a good predictor of glove resistance dependent on the exact composition Glove thickness should be typically depending on the glove make and	40 minutes with preference gloves can be identified. For commend the same but ring this level of protection ase a lower breakthrough appropriate maintenance wed. Glove thickness is not ce to a chemical as it is on of the glove material. y greater than 0.35 mm
Eye protection	: If material is handled such that it c protective eyewear is recommended	
Skin and body protection	<ul> <li>Skin protection is not ordinarily req work clothes.</li> <li>It is good practice to wear chemical</li> </ul>	
Thermal hazards	: Not applicable	
Environmental exposure cont	rols	
General advice	: Take appropriate measures to fulfi relevant environmental protection i contamination of the environment i Section 6. If necessary, prevent u being discharged to waste water. I treated in a municipal or industrial before discharge to surface water. Local guidelines on emission limits must be observed for the discharg vapour.	legislation. Avoid by following advice given in ndissolved material from Waste water should be waste water treatment plant s for volatile substances
SECTION 9. PHYSICAL AND CHEM	IICAL PROPERTIES	
Appearance	: liquid	
Colour	: Clear amber	
Odour	: Slight hydrocarbon	

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

# Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
Odour Threshold	: Data not available	
pH	: Not applicable	
pour point	: -35 °C / -31 °FMethod: ASTM [	297
Initial boiling point and boiling range	: > 280 °C / 536 °Festimated val	ue(s)
Flash point	: 236 °C / 457 °F Method: ASTM D92 (COC)	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.876 (15 °C / 59 °F)	
Density	: 876 kg/m3 (15.0 °C / 59.0 °F) Method: ASTM D4052	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6(based on informa	tion on similar products)
Auto-ignition temperature	: > 320 °C / 608 °F	
Decomposition temperature	: Data not available	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 15.3 mm2/s (100 °C / 212 °F) Method: ASTM D445	
	115 mm2/s (40.0 °C / 104.0 °F) Method: ASTM D445	)
Explosive properties	: Not classified	

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

## Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to be	e a static accumulator.
SECTION 10. STABILITY AND R	EACTIVITY	
Reactivity	: The product does not pose any fu addition to those listed in the follow	
Chemical stability	: Stable.	
Possibility of hazardous reactions	: Reacts with strong oxidising agen	ts.
Conditions to avoid	: Extremes of temperature and dire	ct sunlight.
Incompatible materials	: Strong oxidising agents.	
Hazardous decomposition products	: No decomposition if stored and ap	oplied as directed.

### SECTION 11. TOXICOLOGICAL INFORMATION

Basis for as	sessment :	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information exposure	on likely routes of :	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity			
Product:			
Acute oral to	oxicity :	:	LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhala	ition toxicity :	:	Remarks: Based on available data, the classification criteria are not met.
Acute derma	al toxicity :	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

### Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning

# Shell Rimula R4 L 15W-40

Version 1.3 Revision Date 11.03.2020

Print Date 12.03.2020

can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

#### **Components:**

#### Zinc dialkyldithiophosphate:

Remarks: Based on available data, the classification criteria are not met.

#### Zinc dialkyl dithiophosphate:

Remarks: Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

#### **Components:**

#### Calcium sulphonate:

Remarks: May cause an allergic skin reaction in sensitive individuals.

#### Calcium alkaryl sulphonate:

Remarks: May cause an allergic skin reaction in sensitive individuals.

#### Chronic toxicity

#### Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

|--|

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

# Shell Rimula R4 L 15W-40

Ver	sion 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
	Highly refined mineral oil	No carcinogenicity classification.	
	Alkylated phenol ester	No carcinogenicity classification.	

#### **Reproductive toxicity**

#### Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

#### STOT - single exposure

### Product:

Remarks: Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

### **SECTION 12. ECOLOGICAL INFORMATION**

Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is	Basis for assessment	:	6, 1
----------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------	---	------

# Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
	representative of the product a individual component(s).(LL/E nominal amount of product rec extract).	
Ecotoxicity		
Product:		
Toxicity to fish (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 m Practically non toxic: Based on available data, the c	g/l classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 m Practically non toxic: Based on available data, the c	g/l classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 m Practically non toxic: Based on available data, the c	g/l classification criteria are not met.
Toxicity to fish (Chronic	: Remarks: Data not available	
toxicity) Toxicity to crustacean	: Remarks: Data not available	
(Chronic toxicity) Toxicity to microorganisms (Acute toxicity)	: Remarks: Data not available	
<u>Components:</u> Alkylphenol :		
M-Factor	: 10	
Persistence and degradability		
Product:		
Biodegradability	: Remarks: Not readily biodegra inherently biodegradable, but persist in the environment.	adable., Major constituents are contains components that may
Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains componer bioaccumulate.	nts with the potential to
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based products)	on information on similar
Mobility in soil		
Product:		
Mobility	: Remarks: Liquid under most e enters soil, it will adsorb to soi mobile.	
10/16		800010028216

# Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
	Remarks: Floats on water.	
Other adverse effects		
no data available <u>Product:</u>		
Additional ecological information	<ul> <li>Does not have ozone depletion por ozone creation potential or global is a mixture of non-volatile compor released to air in any significant qui conditions of use.</li> <li>Poorly soluble mixture., Causes pli organisms.</li> <li>Mineral oil does not cause chronic organisms at concentrations less to</li> </ul>	warming potential., Product nents, which will not be uantities under normal hysical fouling of aquatic

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal	methods
----------	---------

Waste from residues :	Recover or recycle if possible. It is the responsibility of the waste generator to determine th toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses	
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.	
	Disposal methods, including disposal of packaging, should be in accordance with the Hazardous Substances (Disposal) Notice 2017 and the Act.	
Contaminated packaging :	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.	
Local legislation Remarks :	Disposal should be in accordance with applicable regional, national, and local laws and regulations.	

### SECTION 14. TRANSPORT INFORMATION

### **National Regulations**

Land Transport Rule:

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

## Shell Rimula R4 L 15W-40

Version 1.3

Revision Date 11.03.2020

Print Date 12.03.2020

#### Dangerous Goods 2012 -NZS 5433

Not regulated as a dangerous good

### **International Regulations**

IATA-DGR Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

R-phrase(s)	:	Not classified.
S-phrase(s)	:	Not classified.

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Workplace Exposure Standards and Biological Exposure Indices November 2017. New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

#### Other international regulations

#### The components of this product are reported in the following inventories:

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of H-Statements

H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Skin Sens.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

# Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
H318	Causes serious eye damage.	
H360F	May damage fertility.	
H400	Very toxic to aquatic life.	
H401	Toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquati	c life.
Full text of other abbreviations		
Acute Tox.	Acute toxicity	
Aquatic Acute	Short-term (acute) aquatic hazard	
Aquatic Chronic	Long-term (chronic) aquatic hazard	
Asp. Tox.	Aspiration hazard	
Eye Dam.	Serious eye damage	
Repr.	Reproductive toxicity	
Skin Corr.	Skin corrosion	
Skin Irrit.	Skin irritation	

Skin sensitisation

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN -United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Further information**

Training advice

: Provide adequate information, instruction and training for operators.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

# Shell Rimula R4 L 15W-40

Version 1.3	Revision Date 11.03.2020	Print Date 12.03.2020
Other information	: A vertical bar ( ) in the left margin from the previous version.	indicates an amendment
Sources of key data used to compile the Safety Data Sheet	: The quoted data are from, but no sources of information (e.g. toxice Health Services, material supplie IUCLID date base, EC 1272 regu	ological data from Shell rs' data, CONCAWE, EU

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN