Not classified as hazardous

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020	Print Date 13.03.2020
SECTION 1. PRODUCT AND CO	OMPANY IDENTIFICATION	
Product name	: Shell Rimula R6 LM 10W-40	
Product code	: 001G1638	
Manufacturer or supplier's	details	
Supplier	: TransDiesel Limited NZBN 9429036551132 533 Halswell Junction Road Christchurch 8042 New Zealand	
Telephone	: 0800 848 267 (All Hours)	
Telefax	:	
Emergency telephone number	: 0800 848 267 (All Hours)	
Recommended use of the	chemical and restrictions on use	
Recommended use	: Engine oil.	

SECTION 2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2017., Not classified as Dangerous Goods for transport, according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Hazard classification

GHS Classification

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements	
Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	: Prevention: No precautionary phrases.
	Response:

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1

Revision Date 12.03.2020 No precautionary phrases. Print Date 13.03.2020

Storage:

No precautionary phrases.

Disposal:

No precautionary phrases.

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	 Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive diluent.
	: * contains one or more of the following CAS-numbers: 64742-

* contains one or more of the following CAS-numbers: 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69-9, 68649-12-7, 151006-60-9, 163149-28-8.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Zinc dialkyldithiophosphate	113706-15-3	Acute Tox.5; H303 Skin Irrit.2; H315 Eye Dam.1; H318	1 - 2.4
		Aquatic Acute2; H401 Aquatic Chronic2; H411	
Alkylated phenol ester	125643-61-0	Aquatic Chronic4; H413	1 - 3
Alkaryl amine	36878-20-3	Aquatic Chronic4; H413	1 - 3
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90

For explanation of abbreviations see section 16.

SECTION 4. FIRST-AID MEASURES

If inhaled

: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020	Print Date 13.03.2020
In case of skin contact	: Remove contaminated clothing. water and follow by washing with If persistent irritation occurs, obt	h soap if available.
In case of eye contact	 Flush eye with copious quantitie Remove contact lenses, if prese rinsing. If persistent irritation occurs, obt 	ent and easy to do. Continue
If swallowed	: In general no treatment is neces are swallowed, however, get me	
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and syn of black pustules and spots on th Ingestion may result in nausea,	he skin of exposed areas.
Protection of first-aiders	: When administering first aid, ens appropriate personal protective incident, injury and surroundings	equipment according to the
Notes to physician	: Treat symptomatically.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1		Revision Date 12.03.2020	Print Date 13.03.2020
SECTION 6. ACCIDENTAL RELEA	AS	E MEASURES	
Personal precautions, protective equipment and emergency procedures Environmental precautions	:	Avoid contact with skin and eyes.	
	:	Use appropriate containment to avo contamination. Prevent from spread ditches or rivers by using sand, earl barriers.	ling or entering drains,
		Local authorities should be advised cannot be contained.	if significant spillages
Methods and materials for containment and cleaning up	:	Slippery when spilt. Avoid accident Prevent from spreading by making a or other containment material. Reclaim liquid directly or in an abso Soak up residue with an absorbent suitable material and dispose of pro	a barrier with sand, earth rbent. such as clay, sand or other
Additional advice	:	For guidance on selection of persor see Chapter 8 of this Safety Data S For guidance on disposal of spilled this Safety Data Sheet.	heet.

SECTION 7. HANDLING AND STORAGE

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage		
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020	Print Date 13.03.2020
Packaging material	: Suitable material: For containers or steel or high density polyethylene. Unsuitable material: PVC.	container linings, use mild
Container Advice	: Polyethylene containers should not temperatures because of possible r	

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
Oil mist, mineral	Not Assigned	WES-TWA	5 mg/m3	NZ OEL
	_	(Mist)	-	
	Further informa	ation: Sampled b	by a method that does	s not collect
	vapour.			
Oil mist, mineral	Not Assigned	WES-STEL	10 mg/m3	NZ OEL
	-	(Mist)	-	
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA	5 mg/m3	ACGIH
	C C	(Inhalable	U U	
		particulate		
		matter)		

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering I	measures
---------------	----------

: The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020	Print Date 13.03.2020
	Appropriate measures include:	
	Adequate ventilation to control airborne	e concentrations.
	Where material is heated, sprayed or r	nist formed, there is
	greater potential for airborne concentra	ations to be generated.
	General Information:	
	Define procedures for safe handling ar	d maintananaa of
	controls.	
	Educate and train workers in the hazar	ds and control
	measures relevant to normal activities associated with product.	
	Ensure appropriate selection, testing a	nd maintenance of
	equipment used to control exposure, e	
	equipment, local exhaust ventilation.	.g. personal protective
	Drain down system prior to equipment	break-in or
	maintenance. Retain drain downs in sealed storage pending dispos	
	subsequent recycle.	soluting disposal of
	Always observe good personal hygiene measures	
	washing hands after handling the mate	
	drinking, and/or smoking. Routinely wa	
	protective equipment to remove contar	-
	contaminated clothing and footwear that cannot be clea	
	Practice good housekeeping.	
	r radioc good nousekeeping.	

Personal protective equipment

Protective measures

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection	 No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C (149°F)].
Hand protection	
Remarks	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020Print Date 13.03.2020resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.Application of a non-perfumed moisturizer is recommended.	
	For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.	
Eye protection	: If material is handled such that it could be splashed into eyes, protective eyewear is recommended.	
Skin and body protection	 Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves. 	
Thermal hazards	: Not applicable	
Environmental exposure co	ntrols	

General advice : Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid	
Colour : amber	
Odour : Slight hydrocarbon	
Odour Threshold : Data not available	
pH : Not applicable	
pour point : -36 °C / -33 °FMethod: ASTM D97	

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020 Print Date 13.03.202	:0
Initial boiling point and boiling range	: > 280 °C / 536 °Festimated value(s)	
Flash point	: 250 °C / 482 °F Method: ASTM D92 (COC)	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.849 (15.0 °C / 59.0 °F)	
Density	: 849 kg/m3 (15.0 °C / 59.0 °F) Method: ASTM D4052	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6(based on information on similar products)	
Auto-ignition temperature	: > 320 °C / 608 °F	
Decomposition temperature	: Data not available	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 14.5 mm2/s (100 °C / 212 °F) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to be a static accumulator.	

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1		Revision Date 12.03.2020	Print Date 13.03.2020
SECTION 10. STABILITY AND RE	AC	CTIVITY	
Reactivity	:	The product does not pose any further addition to those listed in the following	
Chemical stability	:	Stable.	
Possibility of hazardous reactions	:	Reacts with strong oxidising agents.	
Conditions to avoid	:	Extremes of temperature and direct sur	nlight.
Incompatible materials	:	Strong oxidising agents.	
Hazardous decomposition products	:	No decomposition if stored and applied	as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for asse	ssment :	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information or exposure	ilikely routes of :	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity		
Product:		
Acute oral toxi	icity :	LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation	on toxicity :	Remarks: Based on available data, the classification criteria are not met.
Acute dermal	toxicity :	LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not

Shell Rimula R6 LM 10W-40

Version 1.1

Revision Date 12.03.2020

Print Date 13.03.2020

met.

Components:

Zinc dialkyldithiophosphate:

Remarks: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Chronic toxicity

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.
Alkylated phenol ester	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1

Revision Date 12.03.2020

Print Date 13.03.2020

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	 Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity	
Product:	
Toxicity to fish (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic toxicity)	: Remarks: Data not available
Toxicity to crustacean	: Remarks: Data not available

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020	Print Date 13.03.2020
(Chronic toxicity) Toxicity to microorganisms (Acute toxicity)	: Remarks: Data not available	
Persistence and degradability		
Product:		
Biodegradability	: Remarks: Not readily biodegradable., inherently biodegradable, but contains persist in the environment.	
Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains components with t bioaccumulate.	he potential to
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based on infor products)	mation on similar
Mobility in soil		
Product:		
Mobility	 Remarks: Liquid under most environm enters soil, it will adsorb to soil particle mobile. Remarks: Floats on water. 	
Other adverse effects		
no data available <u>Product:</u>		
Additional ecological information	 Does not have ozone depletion potent ozone creation potential or global warr is a mixture of non-volatile component released to air in any significant quant conditions of use. Poorly soluble mixture., Causes physic organisms. 	ning potential., Product s, which will not be ities under normal

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020	Print Date 13.03.2020	
	Waste, spills or used product is dangerous waste.		
	Disposal methods, including disposal of in accordance with the Hazardous Sub Notice 2017 and the Act.		
Contaminated packaging	: Dispose in accordance with prevailing to a recognized collector or contractor. the collector or contractor should be es Disposal should be in accordance with national, and local laws and regulation	The competence of stablished beforehand. applicable regional,	
Local legislation			
Remarks	: Disposal should be in accordance with national, and local laws and regulation		

SECTION 14. TRANSPORT INFORMATION

National Regulations

Land Transport Rule: Dangerous Goods 2012 -NZS 5433 Not regulated as a dangerous good

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

R-phrase(s)	:	Not classified.
S-phrase(s)	:	Not classified.

Shell Rimula R6 LM 10W-40

Version 1.1

Revision Date 12.03.2020

Print Date 13.03.2020

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Workplace Exposure Standards and Biological Exposure Indices November 2017. New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

Other international regulations

The components of this product are reported in the following inventories:			
EINECS	: All components listed or polymer exempt.		
TSCA	: All components listed.		

SECTION 16. OTHER INFORMATION

Full text of H-Statements

H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Full text of other ab	breviations
Acute Tox.	Acute toxicity
Aquatic Acute	Short-term (acute) aquatic hazard
Aquatic Chronic	Long-term (chronic) aquatic hazard

Aquatic Chronic	Long-term (chronic) aquatic h	
Asp. Tox.	Aspiration hazard	
Eye Dam.	Serious eye damage	
Skin Irrit.	Skin irritation	

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Shell Rimula R6 LM 10W-40

Version 1.1	Revision Date 12.03.2020	Print Date 13.03.2020		
Development; OPPTS	- Office of Chemical Safety and Pollution	Prevention; PBT - Persistent,		
	oxic substance; PICCS - Philippines Invent			
	(Quantitative) Structure Activity Relations	U		
	European Parliament and of the Counc	e e		
	on and Restriction of Chemicals; SADT - S			
Temperature; SDS - Sa	afety Data Sheet; TCSI - Taiwan Chemic	al Substance Inventory; TDG -		
Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN -				
	DG - United Nations Recommendations of			
	Persistent and Very Bioaccumulative; W	HMIS - Workplace Hazardous		
Materials Information Sy	/stem			
Further information				
Training advisa	. Drovide ederwote information in	estimation and training for		
Training advice	: Provide adequate information, ir	istruction and training for		
	operators.			
Other information	: A vertical bar () in the left margi	in indicates an amendment		

Sources of key data used to compile the Safety Data Sheet	 The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
	100 LID uale base, EC 1272 regulation, etc).
Sheet	Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

from the previous version.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN